



ob.04.03





D3474-041 INLET VALVE SHAFT

NOTES:


- 1) SPOT WELD PER DART QSI 004 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


QTY -041	P/N	DESCRIPTION	
X	D3474-041	INLET VALVE SHAFT	
1	D3474-1	SHAFT	
1	D3474-3	CONTROL ARM	
1	AN960-C416	WASHER	


COPYRIGHT © 2006 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.











D3474-1 SHAFT

NOTES:

- 1) MATERIAL: AISI 303 STAINLESS STEEL 0,25 ROUND BAR
- (REF. DART SPEC. M303R0.250)
 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.




DESIGN	DRAWN BY	DART AEROSPACI HAWKESBURY, ONTARIO, C	}
CHECKED	APPROVED	DRAWING NO.	REV. A
90	//(D3474	SHEET 3 OF 4
DATE		TITLE	SCALE
06.	.01.23	INLET VALVE SHAFT	1:1




D3474-3 CONTROL ARM FLAT PATTERN

1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH 13 GAUGE SS

(0.090 THICK) (REF. DART SPEC. M304S13GA)





NOTES:


2) FINISH: NONE


FLAT PATTERN


- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.









D3474-7 BUTTERFLY VALVE SEAL

NOTES:

- 1) MATERIAL: RED (OR GRAY) 60 DUROMETER HI-TEMPERATURE SILICONE SHEET, 0.063 THICK (REF. DART SPEC. M-SIL60-S.063)
 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 3) ALL DIMENSIONS ARE IN INCHES
 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2006 BY DART AEROSPACE LTD.